

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	12	("5314724" "5509840" "5587623" "5614353" "5619097" "5658832" "5808410" "5840465" "5851133" "6004179" "6097097" "6159065").PN. OR ("6716077").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 18:09
L11	4	("5136207" "5205770" "5949184").PN. OR ("6159065").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 18:44
S3	1	"6716077".pn.	US-PGPUB; USPAT	OR	ON	2005/03/28 18:08
S4	884	((sol near3 gel) sol\$gel solgel) and (barrier rib partition wall ridge bulk\$head spacer rampart ((separat\$3 support\$3) near3 (member element means))) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:29
S5	104	((sol near3 gel) sol\$gel solgel) same (barrier rib partition wall ridge bulk\$head spacer rampart ((separat\$3 support\$3) near3 (member element means)))) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:11
S6	11	("4923421" "5205770" "5232549" "5503582" "5509840" "5564958" "5658832" "5684356").PN. OR ("6116974").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 18:22
S7	1	"6168737".pn.	EPO; JPO; DERWENT	OR	ON	2005/03/28 18:22
S8	2	"6168737"	EPO; JPO; DERWENT	OR	ON	2005/03/28 18:26
S9	1	2001-181455.NRAN.	DERWENT	OR	ON	2005/03/28 18:23
S10	1	"6097097".pn.	US-PGPUB; USPAT	OR	ON	2005/03/28 18:26
S11	24647	(photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) and (barrier rib partition pillar wall ridge bulk\$head spacer rampart ((separat\$3 support\$3) near3 (member element means))) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:30

S12	10624	((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart ((separat\$3 support\$3) near3 (member element means)))) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:30
S13	7692	((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (barrier rib partition pillar wall ridge bulk\$head spacer rampart ((separat\$3 support\$3) near3 (member element means)))) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:31
S14	5438	((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:31
S15	2601	((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and (cathode anode electrode)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:33
S16	1784	((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) with (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and (cathode anode electrode)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:33
S17	2561	((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and (cathode anode electrode)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:33

S18	1781	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate))	US-PGPUB; USPAT	OR	ON	2005/03/28 18:34
S19	1605	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:35
S20	22	("5194934" "5371404" "5436497" "5448114" "5629566" "5641996" "5682066" "5684677" "5773896" "5801447" "5818113" "5834835").PN. OR ("6097097").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 18:34
S21	447	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (paste liquid gel precursor solution) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:48
S22	15	("3684569" "4343833" "4613560").PN. OR ("5116271").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 18:39

S23	332	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (liquid gel precursor solution) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/28 18:51
S24	343	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (liquid gel precursor slurry solution) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/29 14:52
S25	109	("3330707" "3566187" "3612944" "3622828" "3753022" "3755704" "3789471" "3855499" "3935499" "3956667" "4088920" "4227117" "4243986" "4341980" "4435672" "4451759" "4531122" "4564790" "4677259" "4719388" "4728851" "4820661" "4857799" "4867935" "4874981" "4884010" "4900981" "4904895" "4908539" "4928035" "4940916" "4948759" "4954744" "4956574" "4964946" "4994708" "5003219" "5012155" "5015912" "5053673" "5057047" "5063327" "5070282" "5083058" "5116704" "5130614" "5160871").PN. OR ("5477105"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 19:01

S26	11	("5477105" "5510678" "5701056" "5783904" "5859508" "5963284" "6208404" "6215243" "6255772" "6387600" "6448709").PN. OR ("6621210"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 19:12
S27	22	("5209688" "5240488" "5464724").PN. OR ("5840465"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 19:24
S28	12	("5314724" "5509840" "5587623" "5614353" "5619097" "5658832" "5808410" "5840465" "5851133" "6004179" "6097097" "6159065").PN. OR ("6716077").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 11:08
S29	8103	electro\$plat\$3.clm.	US-PGPUB; USPAT	OR	ON	2005/03/29 11:29
S30	4259	(electro\$plat\$3 same method). clm.	US-PGPUB; USPAT	OR	ON	2005/03/29 11:29
S31	113	(electro\$plat\$3 same method same liquid).clm.	US-PGPUB; USPAT	OR	ON	2005/03/29 11:29
S32	15	("3684569" "4343833" "4613560").PN. OR ("5116271"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 13:01

S34	51	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (liquid gel precursor slurry solution) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel) and catalyst	US-PGPUB; USPAT	OR	ON	2005/03/29 14:38
S35	12	("4125700").PN. OR ("5426008").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 14:48
S36	9	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (plat\$3 same catalyst) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/29 14:54
S37	337	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (plat\$3) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/29 16:31

S38	28	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (plat\$3) same liquid same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("313"/\$.ccls. "445"/\$.ccls. "430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/29 15:32
S39	82	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (plat\$3) same (slurry liquid)) and (barrier rib partition pillar wall ridge bulk\$head spacer rampart) and ("430"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/29 15:33
S40	34	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (plat\$3) same (slurry liquid)) and (barrier rib partition pillar wall ridge bulk\$head spacer rampart) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	EPO; JPO; DERWENT	OR	ON	2005/03/29 15:40
S41	161	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (slurry liquid)) and (barrier rib partition pillar wall ridge bulk\$head spacer rampart) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	EPO; JPO; DERWENT	OR	ON	2005/03/29 15:40
S42	127	S41 not S40	EPO; JPO; DERWENT	OR	ON	2005/03/29 15:40

S43	13	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (slurry liquid precursor) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("264"/\$.ccls.) and ((cathode anode electrode) with (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate)) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/29 16:34
S44	73	(((photo\$resist\$3 photo\$sensi\$4 (photo near3 (resist\$3 sensi\$4)) resist\$3) with (layer film coat\$)) same (slurry liquid precursor) same (barrier rib partition pillar wall ridge bulk\$head spacer rampart)) and ("264"/\$.ccls.) and (dispaly device panel)	US-PGPUB; USPAT	OR	ON	2005/03/29 16:34
S45	7	("5242647" "5275796" "5492234" "5503582" "5658832" "5930890" "6168737").PN. OR ("6812990").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 16:38
S46	23	("4371423" "4519872" "4567132" "4621045" "4703559" "4770897" "4961259" "5126232" "5127989" "5145571" "5147740" "5206117" "5209688" "5229257" "5229258" "5308443" "5334804" "5379515" "5444020" "5702870").PN. OR ("5930890").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 16:45
S47	47	("4047169" "4088490" "4344817" "4416974" "4598037" "4599076" "4600397" "4828961").PN. OR ("5209688").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 16:49